

POULTRY

Slaughtered under Federal Inspection and Poultry

Used in Canning and Other Processed Foods

October 1964

DEC 1 0 1964

December 2, 1964

Inspected Poultry - A total of 979,873,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during October 1964 under the Poultry Inspection Act carried on by the USDA. This was 8 percent more than the previous month and 2 percent more than October 1963.

The number of head and pounds (live weight) inspected by classes in October 1964 were: young chickens, 160,526,000 head, 568,736,000 pounds; mature chickens, 17,538,000 head, 80,960,000 pounds; fryer-roaster turkeys, 1,901,000 head, 16,682,000 pounds; young turkeys, 14,603,000 head, 306,420,000 pounds; old turkeys, 26,000 head, 422,000 pounds; and ducks 1,011,000 head, 6,653,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in October 1964 totaled 731,215,000 pounds ready-to-cook weight of which 425,388,000 pounds were iced and 305,827,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 413,239,000 pounds; mature chickens, 54,116,000 pounds; fryer-roaster turkeys, 12,922,000 pounds; young turkeys, 245,010,000 pounds; old turkeys, 341,000 pounds; ducks, 4,720,000 pounds; and other poultry, 867,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in October 1964 totaled 64,635,000 pounds ready-to-cook weight, compared with 59,821,000 pounds in October 1963. The quantity used in October 1964 consisted of 9,881,000 pounds of young chickens, 27,141,000 pounds of mature chickens, 23,626,000 pounds of turkeys, and 3,987,000 pounds of other poultry.

Cut-Up Poultry - Poultry cut-up and packaged in Federally inspected plants during October 1964 totaled 89,235,000 pounds ready-to-cook weight compared with 82,976,000 pounds in October 1963. The breakdown by classes for October 1964 consisted of 77,672,000 pounds of young chickens, 1,116,000 pounds of mature chickens, 10,395,000 pounds of turkeys, and 52,000 pounds of other poultry.

Ante-mortem condemnations amounted to 1,617,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.17 percent; mature chickens, 0.34 percent; fryer-roaster turkeys, 0.14 percent; young turkeys, 0.11 percent; old turkeys, 0.04 percent; and ducks, 0.02 percent.

Post-mortem condemnations in October 1964 amounted to 17,980,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.10 percent; mature chickens, 3.42 percent; fryer-roaster turkeys, 1.66 percent; young turkeys, 1.59 percent; old turkeys, 1.32 percent; and ducks 1.34 percent. In October 1963, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.07 percent; mature chickens, 3.14 percent; fryer-roaster turkeys, 1.44 percent; young turkeys, 1.61 percent; old turkeys, 1.35 percent; and ducks, 2.16 percent.

Poultry: Slaughtered under Federal Inspection, October 1964 with comparisons

Class	Number inspected				Pounds inspected (live weight)				Average live weight						
	Sept. 1964		Oct. 1964		Sept. 1964		Oct. 1964		Sept. 1964		Oct. 1964		Jan.-Oct. 1964		
	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	
Young chickens	167,561	159,093	160,526	1,565,039	1,636,308	576,914	562,773	568,736	5,397,997	5,656,774	3,444	3,544	3,544	3,45	3,46
Mature chickens	12,666	16,631	17,538	99,192	106,722	59,463	77,517	80,960	475,484	511,920	4,69	4,66	4,62	4,79	4,80
Total chickens	180,227	175,724	178,064	1,664,231	1,743,030	636,377	640,290	649,696	5,873,481	6,168,694	3,53	3,64	3,65	3,53	3,54
Fryer-roasters	1,616	1,912	1,901	11,389	12,697	13,894	17,032	16,682	99,013	109,161	8,60	8,91	8,78	8,69	8,60
Young turkeys	12,572	14,578	14,603	48,172	48,486	1,297,637	306,420	1,852,280	920,963	19,61	1,20	1,42	20,98	18,76	19,12
Old turkeys	34	20	26	2,988	2,508	549	330	422	57,885	48,683	16,15	16,50	16,23	19,37	19,41
Total turkeys	14,222	16,510	16,530	1,59,812	63,377	260,929	1,314,999	323,524	1,078,807	18,35	19,08	19,57	16,87	17,02	
Ducks	1,247	1,018	1,011	9,243	9,462	8,022	6,627	6,673	58,986	60,220	6,43	6,51	6,58	6,38	6,36
Other poultry	---	---	---	---	---	---	757	959	1,245	3,822	---	---	---	---	---
Total poultry	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1/ Revised.															

Pounds certified (ready-to-cook weights)

Class	September 1964				October 1964				January-October 1963				January-October 1964					
	Iced		Frozen		Iced		Frozen		Iced		Frozen		Iced		Frozen		Total	
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	370,060	49,851	419,911	356,113	53,200	409,313	363,173	50,066	413,239	3,477,136	432,718	3,909,854	3,621,722	472,835	4,094,557			
Mature chickens	27,827	11,916	39,743	1/32,165	19,935	1/52,100	37,832	16,284	54,116	1/213,032	109,333	1/322,365	223,346	121,315	344,661			
Total chickens	397,887	61,767	459,654	1/388,278	73,135	1/461,413	401,005	66,350	467,355	1/3,690,168	542,051	1/4,232,219	3,845,068	594,150	4,439,218			
Fryer-roasters	987	9,714	10,701	923	12,297	13,220	1,107	11,815	12,922	12,795	63,723	76,518	13,134	71,177	84,311			
Young turkeys	16,775	180,373	197,148	20,039	1/218,256	1/238,295	23,094	221,916	245,010	68,099	1/613,703	1/681,802	79,173	657,191	736,364			
Old turkeys	2	438	440	15	247	262	---	341	341	4,969	40,964	45,933	4,219	34,638				
Total turkeys	17,764	190,525	208,289	20,977	1/230,800	1/251,777	24,201	234,072	258,273	85,863	1/718,390	1/804,253	96,526	763,006	859,532			
Ducks	133	5,510	5,643	149	4,544	4,693	165	4,555	4,720	1,260	40,520	41,780	1,358	41,449	42,807			
Other poultry	31	468	499	11	644	655	17	850	867	31	2,371	2,402	109	3,180	3,289			
Total poultry	415,815	258,270	674,085	1/409,415	1/309,123	1/718,538	425,388	305,827	731,215	1/3,332	1/4,303,332	1/5,080,654	3,943,061	1,401,785	5,344,846			
1/ Revised.																		

Poultry: Condemnations of poultry slaughtered under Federal Inspection, October 1964 with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations						
	Pounds (Live weight): Percent 1/		Pounds (Live weight): Percent 2/		Pounds (N.Y. dressed wt.): Percent 2/		Pounds (N.Y. dressed wt.): Percent 2/				
	October	1963	1964	1963	1964	October	1963	1964	October	1963	1964
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Mature chickens	950	979	12,828	13,528	4,10,456	10,753	2.07	2.10	4/112,228	127,335	127,335
Total chickens	237	274	1,791	2,029	2,186	2,487	3.14	3.42	12,036	14,156	14,156
	1,187	1,253	14,617	15,557	4/12,642	13,240	2.20	2.27	4/124,264	141,491	141,491
Fryer-roasters	18	24	171	186	220	249	1.44	1.66	1,268	1,451	1,451
Young turkeys	348	338	1,037	1,235	4/4,296	4,388	1.61	1.59	11,181	12,589	12,589
Old turkeys 3/	1	---	63	59	4	5	1.35	1.32	1,025	950	950
Total turkeys	367	362	1,271	1,480	4/4,520	4,642	1.60	1.60	4/13,474	14,990	14,990
Ducks	1	2	13	11	129	80	2.16	1.34	833	776	776
Other poultry 3/	---	---	3	5	6	18	.70	1.61	26	65	65
Total	1,555	1,617	15,904	17,053	4/17,297	17,980	2.00	2.04	4/138,597	157,322	157,322

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.  
 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.  
 3/ Dashes mean less than 500 head or 500 pounds.  
 4/ Revised.

Poultry: Inspected for canning and other processed foods, October 1964 with comparisons 1/

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight			
	October		September		October		January-October	
	1963	1964	1963	1964	1963	1964	1963	1964
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Further processed	10,241	9,256	84,558	104,286	14	249	107	---
Cut up	77,334	73,903	624,705	706,050	---	---	---	---
Mature chickens	21,266	24,366	208,819	208,045	36	167	156	---
Further processed	723	897	7,506	8,097	---	---	---	---
Cut up	---	---	---	---	---	---	---	---
Turkeys	19,394	22,480	151,862	168,816	5	60	54	---
Further processed	7,357	8,067	38,185	47,366	---	---	---	---
Cut up	---	---	---	---	---	---	---	---
Other poultry 2/	2,129	3,719	30,793	32,806	7	126	109	---
Further processed	56	109	887	549	---	---	---	---
Cut up	---	---	---	---	---	---	---	---
Total	53,030	59,821	476,032	513,953	62	602	426	---
Further processed	85,470	82,976	671,283	762,062	---	---	---	---
Cut up	---	---	---	---	---	---	---	---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.  
 2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, October 1963 and 1964

Region and State	Number inspected		Pounds inspected		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
N. Atl.	13,335	13,426	53,277	54,075	4.00	4.03	1,000	1,000	1,000	1,000
E. N. Cent.	2,829	2,370	9,013	9,013	3.81	3.80	38,403	38,819	941	1,035
W. N. Cent.	4,623	4,068	16,636	14,685	3.60	3.61	12,885	10,568	6/173	121
S. Atl.	66,932	68,784	239,221	244,816	3.57	3.56	175,338	179,068	254	258
S. Cent.	67,937	68,381	229,872	233,325	3.38	3.41	166,306	168,921	4,125	4,775
West	3,437	3,497	12,990	12,822	3.78	3.67	9,346	9,222	4,739	4,324
U. S.	159,093	160,526	562,773	568,736	3.54	3.54	409,313	413,239	6/10,456	10,753
Maine	5,662	5,513	23,293	22,216	4.11	4.03	17,103	16,310	445	398
Mass. 3/	428	---	1,764	---	4.12	---	1,256	---	33	---
Conn.	836	676	3,155	2,653	3.77	3.93	2,237	1,861	59	52
N. J. 3/	25	---	125	---	4.98	---	46	---	1	---
Pa.	6,735	6,107	23,856	27,052	3.91	4.02	17,205	19,329	392	545
Ohio	6/630	385	6/2,477	1,574	3.93	4.09	6/1,836	1,150	6/26	26
Ind.	9/913	814	6/3,125	2,771	3.42	3.40	6/2,235	2,035	50	22
Ill.-Mich. 4/	45	20	309	132	6.87	6.60	230	98	5	2
Wis.	1,241	1,151	4,866	4,536	3.92	3.94	3,584	3,358	92	71
Minn.	795	686	3,167	2,947	3.98	4.29	2,384	2,203	36	27
Iowa	190	124	1,283	948	6.77	7.63	961	710	6	5
Mo.	3,632	3,257	12,135	10,779	3.34	3.31	8,632	7,647	212	226
Del.	6,963	7,031	27,094	27,346	3.88	3.89	19,922	20,240	587	483
Md.	10,261	9,893	37,684	37,930	3.87	3.83	28,485	27,094	773	899
Va.	3,836	3,783	12,225	11,999	3.19	3.17	8,640	8,317	233	273
N. C.	16,829	17,823	59,092	62,366	3.51	3.50	43,806	45,604	783	968
S. C.	1,837	1,691	6,485	6,104	3.53	3.61	4,678	4,383	149	135
Ga.	25,900	27,314	90,433	94,956	3.49	3.48	66,765	70,503	1,555	1,937
Ky.	1,844	1,977	6,400	6,934	3.47	3.51	4,589	4,969	66	101
Tenn.	4,491	4,451	15,496	15,206	3.45	3.42	11,340	11,291	297	240
Ala.	15,710	15,662	52,946	54,388	3.37	3.47	39,147	39,954	965	893
Miss.	12,900	11,799	44,148	40,374	3.42	3.42	32,277	29,573	1,123	794
Ark.	20,715	21,563	69,001	72,044	3.33	3.34	48,860	51,321	1,556	1,408
La.-Okla. 4/	3,111	3,597	10,625	12,420	3.42	3.45	7,664	8,975	218	240
Texas	9,166	9,332	31,256	31,959	3.41	3.42	22,429	22,838	514	648
Idaho	455	366	1,567	1,330	3.44	3.63	1,122	982	34	26
Utah 5/	23	15	85	61	3.72	3.91	64	46	---	1
Wash.	907	834	3,402	3,149	3.75	3.78	2,429	2,266	49	39
Calif.	2,052	2,117	7,936	7,674	3.87	3.63	5,731	5,478	141	168

1/Average weight based on unrounded data.

2/Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/Data for only 1 year published in order to avoid disclosure of individual operations. 4/Combined to avoid disclosure of individual operations. 5/Dashes mean less than 500 head or 500 pounds. 6/Revised.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, October 1964

Region and State	Tuber-culosis		Leu-cosis		Septi-cemia		Airsac-culitis		Inflam-matory		Tumors		Para-sites		Bruises		Cadaver-inaction		Over-scald		Decom-position		Other		Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	---	99,849	63,563	39,094	22,165	1,024	5	1,908	9,363	12,732	1,019	51	6,954	257,727											
E. N. Cent.	---	1,795	4,812	15,605	5,370	259	4	1,019	1,553	2,753	203	2	531	33,906											
W. N. Cent.	---	5,351	15,485	29,797	16,321	580	---	1,479	3,702	4,038	621	2	973	78,349											
S. Atl.	---	366,084	250,802	419,898	155,564	4,943	3	13,274	48,300	83,232	5,883	3,689	25,508	1,377,180											
S. Cent.	---	118,930	256,668	420,606	174,197	6,049	9	16,709	56,711	72,199	4,140	893	31,860	1,158,971											
West	---	16,695	17,902	18,118	9,267	398	3	845	3,137	4,033	861	119	6,170	77,548											
U.S.	---	608,704	609,232	943,118	382,884	13,253	24	35,234	122,766	178,987	12,727	4,756	71,996	2,983,681											
Maine	---	37,141	23,998	13,358	10,172	336	---	728	4,036	3,394	242	3	2,616	96,024											
Conn.	---	3,561	3,684	1,073	411	69	---	75	158	2,035	1	---	754	11,821											
Pa.	---	57,331	32,183	23,678	11,291	547	5	1,031	4,993	6,929	776	47	3,512	142,323											
Ohio	---	469	2,649	1,074	827	115	---	96	333	756	86	2	370	6,777											
Ind.	---	732	1,053	1,193	1,085	19	3	273	259	1,122	97	---	50	5,886											
Ill.-Mich. 1/	---	39	70	37	9	---	---	1	69	29	---	---	---	254											
Wis.	---	555	1,040	13,301	3,449	125	1	649	892	846	20	---	111	20,989											
Minn.	---	141	348	191	1,139	312	---	97	537	979	127	2	621	4,494											
Iowa	---	317	152	17	40	42	---	48	14	34	2	---	24	690											
Mo.	---	4,887	14,980	29,584	15,141	226	---	1,334	3,151	3,025	490	---	328	73,146											
Del.	---	70,514	16,206	31,417	11,087	474	1	779	3,316	5,018	342	2	3,517	142,673											
Md.	---	117,934	36,282	56,338	24,979	1,126	2	1,281	6,243	7,992	629	21	7,941	260,768											
Va.	---	16,448	9,914	62,452	10,093	65	---	431	2,875	2,238	312	1	349	105,178											
N.C.	---	50,112	60,606	77,124	47,038	1,315	---	3,537	17,032	19,419	891	185	4,903	282,162											
S.C.	---	9,022	5,448	12,612	3,122	73	---	464	2,148	3,544	22	2	33	36,490											
Ga.	---	99,184	116,282	163,919	56,072	1,796	---	6,678	16,314	44,339	3,687	3,478	7,883	519,632											
Ky.	---	1,319	5,701	10,994	8,041	62	2	999	1,220	938	325	61	1,362	31,024											
Tenn.	---	12,823	16,874	10,970	13,308	213	---	651	5,125	6,940	56	186	6,353	73,499											
Ala.	---	27,907	57,502	73,694	37,717	1,218	---	1,977	7,232	16,716	582	24	1,391	225,990											
Miss.	---	23,500	30,790	94,705	22,067	1,423	---	3,387	8,223	15,575	591	504	6,556	207,321											
Ark.	---	33,252	92,509	150,328	43,654	1,611	4	4,903	22,346	18,346	1,659	29	8,276	376,917											
La.-Okla. 1/	---	4,297	18,522	23,161	8,691	346	3	1,456	3,033	3,362	326	1	241	63,439											
Texas	---	15,832	34,770	56,754	40,719	1,146	---	3,336	9,532	10,322	601	88	7,681	180,781											
Idaho	---	1,252	1,595	4,489	206	14	3	117	112	346	37	---	466	8,637											
Utah	---	329	19	---	11	5	---	5	10	1	---	---	---	380											
Wash.	---	372	4,645	2,205	3,330	94	---	125	628	409	111	3	1,257	13,179											
Calif.	---	14,478	10,787	11,392	5,520	278	---	556	2,353	3,250	704	116	4,300	53,734											

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, October 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Pounds (NYD)		Percent 2/	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
N. Atl.	3,035	2,832	14,960	14,213	4.93	5.02	10,012	9,507	242	300	1.80	2.35
E. N. Cent.	2,531	2,494	10,469	10,469	4.19	4.20	7,096	7,096	271	294	2.85	3.13
W. N. Cent.	5,822	6,313	26,353	26,353	4.21	4.17	16,202	17,175	886	988	4.03	4.18
S. Atl.	2,493	2,912	13,408	15,390	5.38	5.29	9,259	10,506	330	392	2.74	2.84
S. Cent.	1,646	1,878	9,233	9,233	5.17	5.61	6,266	6,678	294	322	3.55	3.70
West	1,104	1,109	4,820	4,818	4.37	4.34	3,186	3,154	163	191	3.76	4.42
U. S.	16,631	17,538	77,517	80,960	4.66	4.62	54,116	54,116	2,186	2,487	3.14	3.42
Maine	391	623	2,418	3,842	6.18	6.17	1,762	2,805	40	73	1.82	2.12
N. J.	1,371	1,256	5,536	5,275	4.04	4.20	3,432	3,238	98	136	1.97	2.88
Pa.	451	453	2,385	2,385	5.26	5.26	1,559	1,555	32	39	1.42	1.86
Ohio	5/640	871	5/2,695	3,702	5/4.21	4.25	5/1,828	2,457	5/80	109	5/3.34	3.26
Ind.	5/883	743	5/3,857	3,157	4.37	4.25	5/2,617	2,203	5/91	91	2/2.62	3.21
Ill.	697	614	2,741	2,395	3.93	3.90	1,852	1,615	56	51	2.28	2.36
Mich. 3/	32	---	135	---	4.20	---	83	---	2	---	1.65	---
Wis.	279	260	1,176	1,172	4.21	4.50	795	790	42	42	3.93	4.01
Minn.	2,618	2,614	10,656	10,629	4.07	4.07	6,931	6,823	438	459	4.58	4.82
Iowa	986	858	3,852	3,499	3.91	4.08	2,651	2,263	105	81	3.04	2.57
Mo.	887	1,065	4,345	5,031	4.90	4.72	2,930	3,418	109	138	2.80	3.06
N. Dak.-S. Dak. 4/	360	320	1,596	1,421	4.43	4.44	1,039	921	64	54	4.47	4.24
Nebr. 3/	971	---	4,043	---	4.16	---	2,651	---	170	---	4.69	---
Del.	33	37	246	276	7.51	7.42	176	197	5	5	2.32	1.80
Md.	657	792	2,709	3,306	4.12	4.17	1,833	2,202	49	56	2.01	1.89
Va.	248	291	1,309	1,673	5.27	5.75	934	1,141	34	35	2.87	2.36
N. C.	799	787	4,519	4,623	5.65	5.87	3,116	3,183	99	125	2.43	3.01
S. C.	34	25	232	185	6.75	7.32	162	133	6	4	2.80	2.93
Ga.	657	897	4,111	4,965	6.26	5.53	2,847	3,401	126	155	3.41	3.46
Ky. 3/	67	67	344	344	---	5.11	---	240	---	---	---	3.49
Tenn.	549	281	2,694	1,395	4.91	4.97	1,771	954	95	51	3.96	4.16
Ala.	188	142	1,314	1,012	6.98	7.11	932	741	34	27	2.88	3.06
Miss.	217	919	1,168	4,130	5.38	4.49	788	2,819	28	129	2.68	3.50
Ark.	278	162	1,762	1,187	6.35	7.32	1,200	817	57	37	3.65	3.54
La.-Okla. 4/	97	75	685	486	7.06	6.48	476	340	25	21	4.07	4.82
Texas	265	232	1,378	1,163	5.19	5.01	940	767	48	46	3.83	4.36
Idaho	25	12	116	58	5.01	5.01	79	40	4	2	1.17	---
Utah 3/	57	---	218	---	3.80	---	149	---	2	---	1.17	---
Wash.	107	125	477	556	4.47	4.43	309	355	14	22	3.27	4.33
Calif.	889	929	3,906	4,027	4.39	4.33	2,579	2,641	139	165	3.96	4.58

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Combined to avoid disclosure of individual operations. 5/ Revised.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, October 1964

Region and State	Tuber- cullosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Contam- ination		Over- scaled		Decom- position	Other	Total
										No.	No.	No.	No.			
N. Atl.	57	6,934	26,349	70	10,569	9,394	110	744	3,749	2,851	220	35	15,288		76,370	
E. N. Cent.	11,967	10,324	22,549	51	10,961	11,683	275	866	1,803	5,105	149	39	8,500		84,672	
W. N. Cent.	77,307	15,592	61,780	649	37,157	24,296	2,762	3,375	5,448	13,332	734	75	22,699		265,206	
S. Atl.	6	6,818	37,022	374	22,800	6,280	5	893	3,564	7,472	304	46	1,528		87,112	
S. Cent.	35	15,894	24,972	366	13,402	4,230	309	1,181	2,273	7,484	159	455	2,915		73,675	
West	---	1,298	18,107	1,111	7,052	13,164	1,045	1,044	895	2,798	83	2	7,349		53,948	
U. S.	89,372	56,860	190,779	2,621	101,941	69,047	4,506	8,103	17,732	39,042	1,649	652	58,679		640,983	
Maine	8	1,052	4,826	36	3,764	1,166	3	59	351	602	13	---	2,520		14,400	
N. J.	30	4,039	11,941	6	2,500	6,049	90	226	2,391	988	91	3	10,474		38,828	
Pa.	16	792	5,464	26	2,248	631	2	162	458	549	25	---	68		10,441	
Ohio	1,863	5,109	9,095	2	5,366	4,432	91	290	890	1,426	93	38	1,332		30,027	
Ind.	1,137	2,881	6,463	4	2,975	4,355	30	284	623	2,466	35	---	6,585		26,238	
Ill.	4,695	345	5,209	---	2,498	1,613	148	129	187	480	12	1	473		15,790	
Wis.	4,272	1,847	1,707	45	2,122	1,282	6	163	97	723	9	---	110		12,363	
Minn.	28,384	3,608	25,096	56	22,434	16,317	1,902	1,265	3,632	8,745	445	66	9,455		122,065	
Iowa	6,202	1,556	6,276	12	2,771	1,769	208	278	360	790	78	2	210		20,512	
Mo.	3,633	3,613	15,880	157	3,583	1,649	607	341	877	1,228	96	6	1,809		33,479	
N. Dak.--S. Dak.	8,864	631	2,467	116	2,582	753	35	171	191	478	27	---	543		16,858	
Nebr.	30,215	6,095	11,909	302	5,786	3,808	9	660	388	2,089	88	1	10,675		72,025	
Del.	---	169	271	11	133	45	---	2	41	46	---	---	4		722	
Md.	---	1,685	6,515	136	2,512	261	2	138	800	149	1	---	268		12,467	
Va.	6	738	2,732	25	3,470	393	3	70	283	627	5	---	10		8,362	
N. C.	---	2,413	11,822	99	8,306	1,319	---	300	971	2,849	210	1	360		28,650	
S. C.	---	242	202	---	262	28	---	4	18	53	---	---	---		809	
Ga.	---	1,382	13,529	102	7,365	3,854	---	340	1,446	3,673	86	45	272		32,094	
Ky.	1	130	1,537	8	208	384	84	10	14	342	---	---	---		2,718	
Tenn.	---	971	1,787	43	2,134	1,865	---	71	452	2,398	115	439	2,587		12,862	
Ala.	---	271	1,942	39	681	299	---	13	195	870	---	1	17		4,328	
Miss.	---	10,196	11,901	64	4,408	1,044	---	928	1,175	1,978	30	15	275		32,014	
Ark.	---	212	2,581	179	1,799	168	---	48	137	529	12	---	34		5,699	
La.--Okla.	34	205	1,515	10	1,077	255	224	31	143	583	1	---	2		4,080	
Texas	---	3,909	3,709	23	3,095	215	1	80	157	784	1	---	---		11,974	
Idaho	---	43	233	28	89	45	---	15	1	53	---	---	---		50	
Wash.	---	478	1,954	7	631	503	1	32	179	468	33	2	1,697		5,985	
Calif.	---	708	15,539	1,076	6,196	12,505	1,044	981	691	2,244	50	---	5,588		46,622	

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, October 1963 and 1964

Region and State	Number inspected		Founds inspected (live weight)		Average live weight inspected		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations		
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964	
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	Percent	
N. Atl.	321	333	6,640	6,552	20.69	19.68	5,324	5,154	55	46	0.92
E. N. Cent.	1,971	1,964	39,988	41,417	20.29	21.09	32,131	33,396	401	367	1.12
W. N. Cent.	5/ 5,718	5,867	5/117,751	125,168	5/20.59	21.33	5/94,751	100,979	5/1,533	1,634	1.45
S. Atl.	1,183	1,180	22,405	23,294	18.94	19.74	17,566	18,201	377	474	1.87
S. Cent.	2,122	2,385	5/ 43,313	48,455	20.41	20.32	5/34,252	38,324	841	863	2.16
West	3,263	2,874	67,540	61,534	20.70	21.41	54,271	48,956	1,089	1,004	1.79
U. S.	5/14,578	14,603	5/297,637	306,420	5/20.42	20.98	5/238,295	245,010	5/4,296	4,388	1.61
Pa.	271	251	5,489	4,873	20.27	19.41	4,404	3,888	48	31	.97
Ohio	329	390	6,747	8,443	20.49	21.64	5,456	6,808	42	48	.69
Ind.	610	582	12,033	12,240	19.74	21.03	9,752	9,992	138	141	1.28
Ill.-Mich. 3/	396	335	8,837	7,494	22.32	22.37	7,099	6,025	65	55	.82
Wis.	636	657	12,371	13,240	19.47	20.15	9,824	10,571	156	123	1.41
Minn.	5/2,613	2,723	5/92,853	57,916	20.22	21.27	5/42,692	46,808	5/613	689	1.29
Iowa	1,269	1,228	26,621	26,662	20.98	21.72	21,595	21,594	319	330	1.33
Mo.	5/ 917	1,029	5/19,408	21,654	21.13	21.04	5/15,302	17,312	5/315	308	1.81
N. Dak.-S. Dak. 3/	283	286	5,892	5,718	20.82	19.99	4,728	4,580	86	79	1.62
Nebr.	427	401	8,999	9,237	21.07	23.03	7,313	7,485	118	126	1.46
Kans.	209	200	3,978	3,981	19.03	19.90	3,121	3,200	82	82	2.29
Va.	466	353	8,496	6,847	18.22	19.38	6,390	5,106	191	167	2.51
N. C.	457	501	9,204	10,035	20.15	20.03	7,441	8,043	123	213	1.48
S. C.	61	25	1,165	548	19.30	21.66	964	443	8	6	.81
Ga.	109	156	2,234	3,242	20.43	20.73	1,788	2,609	44	64	2.22
Ky. 4/	297	---	6,278	---	21.12	---	5,097	---	60	---	1.07
Ark.	621	859	12,754	17,265	20.53	20.13	9,896	13,591	364	374	3.18
Texas	729	769	14,876	15,666	20.42	20.37	11,755	12,418	347	318	2.59
Colo.	352	341	7,250	7,218	20.59	21.20	6,027	5,947	47	76	.72
Utah	648	588	14,222	13,616	21.95	23.16	11,548	10,733	146	85	1.14
Oreg.	226	176	4,826	3,776	21.38	21.39	3,886	3,045	65	54	1.49
Calif.	1,950	1,683	39,480	35,307	20.24	20.97	31,392	27,939	814	773	2.29

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.  
 3/ Combined to avoid disclosure of individual operations.  
 4/ Data for only 1 year published in order to avoid disclosure of individual operations.  
 5/ Revised.



Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, October 1964

Region and State	:Tuber- :culosis:	:Leu- :cosis:	:Septi- :cemia:	:Airsac- :culitis:	:Inflam- :matory:	:Tumors : sites:	:Para- : sites:	:Bruises	:Cadaver :ination:	:Over- :scald:	:Decom- :position:	:Other: : Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	130	815	190	466	6	2	74	90	147	2	8	3
E. N. Cent.	108	5,152	6,613	3,803	22	3	118	588	585	110	1	159
W. N. Cent.	651	32,688	32,557	9,959	116	4	876	1,944	2,512	493	11	1,894
S. Atl.	218	6,003	8,048	9,743	43	---	112	411	895	73	77	71
S. Cent.	408	13,920	19,141	6,681	107	3	347	936	2,157	222	4	538
West.	490	21,551	15,048	15,761	52	---	592	508	916	134	17	78
U. S.	2,005	80,129	81,597	46,413	346	12	2,119	4,477	7,212	1,034	118	2,743
Pa.	121	632	148	396	2	---	43	68	80	---	2	---
Ohio	20	707	661	560	2	1	27	73	83	50	---	6
Ind.	20	1,683	3,599	1,549	4	---	16	159	67	13	---	116
Ill.-Mich. 1/	6	761	586	384	---	---	28	106	79	17	1	32
Wis.	62	2,001	1,767	1,310	16	2	47	250	356	30	---	5
Minn.	46	16,861	12,390	2,375	28	3	396	864	1,245	193	4	621
Iowa	508	6,834	6,634	3,000	19	---	155	275	465	81	5	390
Mo.	29	4,207	7,352	2,260	41	1	154	412	325	108	---	784
N. Dak.-S. Dak. 1/	40	953	2,229	570	11	---	76	146	107	5	---	---
Nebr.	13	2,528	1,932	1,252	16	---	63	41	153	3	1	95
Kans.	15	1,305	2,020	502	1	---	32	206	217	103	1	4
Va.	10	1,388	5,332	2,865	23	---	12	157	117	20	1	57
N. C.	96	3,479	1,607	5,490	16	---	73	199	673	18	76	5
S. C.	8	49	24	104	---	---	4	13	4	---	---	---
Ga.	81	363	1,024	1,076	4	---	20	20	77	19	---	9
Ark.	47	6,083	8,756	2,652	37	3	163	171	1,216	17	2	175
Texas	281	4,262	8,143	2,931	41	---	139	444	409	32	---	150
Colo.	---	743	425	2,734	1	---	34	111	85	7	---	14
Utah	3	2,725	1,218	637	12	---	67	91	88	7	7	43
Oreg.	3	1,890	254	755	2	---	17	71	16	4	1	8
Calif.	484	16,081	12,767	11,467	35	---	447	229	665	115	9	13

1/ Combined to avoid disclosure of individual operations.

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, October 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	Percent
N. Atl.	59	63	1,000	1,000	8.67	9.21	1,000	1,000	10	2.11
E. N. Cent.	294	254	2,658	2,336	9.04	9.20	2,096	1,851	34	1.42
W. N. Cent.	971	818	8,771	7,234	9.03	8.84	6,953	5,726	109	1.38
S. Atl.	449	553	3,925	4,772	8.74	8.63	2,921	3,584	49	1.39
S. Cent.	45	61	382	506	8.49	8.30	298	393	4	1.16
West	94	152	788	1,250	8.38	8.22	602	957	14	1.98
U. S.	1,912	1,901	17,032	16,682	8.91	8.78	13,220	12,922	220	1.44
Ohio	49	46	447	434	9.13	9.44	345	335	5	1.18
Wis.	236	195	2,128	1,789	9.02	9.18	1,683	1,425	29	1.49
Minn.	808	675	7,406	5,995	9.17	8.88	5,890	4,758	90	1.35
Iowa	83	83	665	704	8.02	8.50	526	550	7	1.20
Va.	434	521	3,789	4,526	8.73	8.69	2,812	3,386	48	1.42
Ark. 3/	40	---	342	---	8.61	---	267	---	4	1.19
Calif.	77	131	658	1,085	8.59	8.30	499	825	13	2.13

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, October 1964

Region and State	Leu-		Septi-		Airsac-		Inflam-		Tumors		Para-		Bruises		Cadaver		Contam-		Over-		Decom-		Other		Total
	cullosis		cosis		cemia		matory		sites		sites		sites		infection		scald		position		position		position		
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	---	---	156	16	---	---	8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	749	
E. N. Cent.	---	15	488	72	7	341	39	197	205	32	---	---	---	---	---	---	---	---	---	---	---	---	---	1,954	
W. N. Cent.	---	13	4,802	3,275	7	806	155	403	796	90	2	68	83	12,229	10,418	---	---	---	---	---	---	---	---	10,418	
S. Atl.	---	---	2,841	7,667	1	943	20	307	364	1	1	83	1	229	12,229	---	---	---	---	---	---	---	---	12,229	
S. Cent.	---	---	61	37	7	28	7	22	65	---	---	---	---	---	---	---	---	---	---	---	---	---	---	229	
West	---	---	777	994	4	90	8	26	81	10	---	---	---	---	---	---	---	---	---	---	---	---	---	2,073	
U. S.	---	31	10,008	12,201	26	2,224	237	983	1,563	133	3	242	27,652	---	---	---	---	---	---	---	---	---	---	---	27,652
Ohio	---	---	102	3	---	27	14	35	41	3	---	---	---	---	---	---	---	---	---	---	---	---	---	232	
Wis.	---	15	935	69	7	311	25	161	161	29	---	---	---	---	---	---	---	---	---	---	---	---	---	1,713	
Minn.	---	11	3,572	2,982	5	625	116	345	671	37	---	---	---	---	---	---	---	---	---	---	---	---	---	8,373	
Iowa	---	---	450	240	2	164	23	18	66	42	---	---	---	---	---	---	---	---	---	---	---	---	---	1,066	
Va.	---	1	2,707	7,433	1	889	16	307	251	---	---	---	---	---	---	---	---	---	---	---	---	---	---	11,689	
Calif.	---	---	722	986	4	79	7	23	39	3	---	---	---	---	---	---	---	---	---	---	---	---	---	1,946	

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, October 1963 and 1964

Region and State	Number inspected		Pounds inspected		Average live weight inspected		Total pounds certified		Post-mortem condemnations			
	1963	1964	1,000 pounds	(live weight)	1963	1964	1,000 pounds	(Ready-to-cook wt.)	1963	1964	Percent	Percent
N. Atl. 3/	---	---	---	---	---	---	---	---	---	---	---	---
E. N. Cent. 3/	6	1	95	26	15.83	20.23	76	20	1	---	1.17	---
W. N. Cent.	12	17	198	266	16.50	15.33	157	216	3	3	1.69	1.54
S. Atl. 3/	1	6	13	97	13.00	16.27	10	78	---	2	---	2.31
S. Cent. 3/	---	---	---	---	---	---	---	---	---	---	---	---
West 3/	1	2	24	33	40.26	15.43	19	27	---	---	.62	---
U. S.	20	26	330	422	16.50	16.23	262	341	4	5	1.35	1.32
Minn.	10	17	163	266	16.33	15.33	130	216	3	3	1.50	1.54

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, October 1964

Region and State	Tuberculosis		Leishmaniasis		Septicemia		Airsacculitis		Inflammation		Tumors		Bruises		Cadaver		Contamination		Over-inflation		Decomposition		Other		Total		
	No.	---	No.	---	No.	---	No.	---	No.	---	No.	---	No.	---	No.	---	No.	---	No.	---	No.	---	No.	---			
N. Atl.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
E. N. Cent.	---	---	6	---	6	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
W. N. Cent.	---	---	1	52	76	---	35	---	1	1	5	---	---	---	---	---	---	---	---	---	---	---	---	---	---	14	
S. Atl.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	176	
S. Cent.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	100	
West	---	---	1	30	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	37
U. S.	---	---	2	145	86	---	70	---	3	1	6	---	---	---	---	---	---	---	---	---	---	---	---	---	---	327	
Minn.	---	---	1	52	76	---	35	---	1	1	5	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	176

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

OFFICIAL BUSINESS

Albert R. Mann Library  
8-24-61 Acquisitions Div.  
ML-PS Ithaca, N. Y.

Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U. S. D. A. Inspected for Wholesomeness legend.

\* \* \* \*

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.